

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20040117398").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 09:58
L2	0	("kuen.ap.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 09:58
L3	0	("kuen.xa.andkuen.xa.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 09:59
L4	17	lu.xa. and kuen.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:02
L5	17	lu.xa. and kuen.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:02
L6	3358	(meta\$1infor\$8 or meta\$1data) with objects	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:05
L7	802	(meta\$1infor\$8 or meta\$1data) with objects and @ad < "20001013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:06
L8	0	(meta\$1infor\$8 or meta\$1data) with objects same catalog same (ratings or rankings or degrees) and @ad < "20001013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:06
L9	4	(meta\$1infor\$8 or meta\$1data) with objects and (catalog same (ratings or rankings or degrees)) and @ad < "20001013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:19

L10	21	(meta\$1infor\$8 or meta\$1data) with objects same (ratings or rankings or degrees) and @ad < "20001013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:58
L11	201	(web adj sites) with (ratings or rankings or degrees) and @ad < "20001013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:59
L12	66	(web adj sites) with (rankings) and @ad < "20001013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:59
L13	4	(web adj sites) adj (rankings) and @ad < "20001013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:01
L14	66	(web adj site\$1) with (rankings) and @ad < "20001013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:00
L15	30	(web adj site\$1) with (rankings) and @ad < "19991013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:12
L16	12	(web adj site\$1) with (rankings) with user and @ad < "19991013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:13
L17	16	(web adj site\$1) with (rankings) same user and @ad < "19991013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:25
L18	2	"6385602".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:44
L19	0	(web adj site\$1) with (rankings) with sort\$5 and @ad < "19991013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:26

L20	30	(web adj site\$1) with (rankings) and @ad < "19991013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:35
L21	60	(web with (sites or pages)) with (rankings) and @ad < "19991013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:35
L22	27	(web adj (pages)) with (rankings) and @ad < "19991013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:36
L23	2	"6434556".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:44